


iiyama
Professional Displays

PROFESSIONAL AV SOLUTIONS
SPECIALISED COMMERCIAL SIGNAGE
AND IFP – INTERACTIVE DISPLAYS

iiControl

ALL-IN-ONE SOLUTION FOR DEVICE MANAGEMENT

iiControl is a centralized platform for seamless device management, allowing you to monitor status, send commands, manage content, and update software remotely. With real-time monitoring, robust analytics, and user-friendly tools, it streamlines operations across multiple devices.





Effortless Device Management

Control all your devices from a single platform. Easily monitor status, group panels, manage user access, and register devices for seamless operation.

Full Remote Control and Monitoring

Adjust settings, troubleshoot issues, and receive real-time warnings - all without physical access. Keep your devices running smoothly anytime, anywhere.





Smart Command Execution

Save time with scheduled commands, batch updates, and remote app management. Streamline workflows and reduce manual tasks effortlessly.

Seamless Content Management

Cast screens remotely, share media, and manage system files from one place. Deliver content to multiple devices with ease.



Powerful Insights and Analytics

Gain real-time visibility into device performance, user activity, and system health. Make data-driven decisions to optimize efficiency.

Compatible series: LH64 (excl. 86"), LH65B, LH75 (B2AG), LH81G, TE13A, TE15A

iiSignage²

CLOUD BASED CMS SOFTWARE

iiSignage² is a secure, cloud-based content management system (CMS) that gives you full control over your messaging and advertising on your iiyama large format displays – remotely and safely. All iiSignage² servers are hosted by Google in the Netherlands to ensure fast, reliable, and secure performance.




UPLOAD CONTENT

- » Upload multiple types of media (Image, Video, Web Content)
- » Videos/QR codes/ Web Content can be embedded into Images / Slide shows
- » Create distinctive Content programs with the media uploaded



SCHEDULE PROGRAMS

- » Schedule Content based on days of the week, dates in advance and time
- » Add different content programs to the schedule based on the requirement
- » Individual displays can have their own schedules set with the location's specific content programs




SHARE ON DISPLAY

- » Each of the displays can be identified by its specific name and can be grouped together based on requirements
- » The displays have their individual/grouped schedules for the uploaded content
- » The displays can be programmed to shutdown and turn on based on requirements.



DAILY MANAGEMENT

- » Get regular / timed screenshots of the content running on your screens.
- » Stay up to date on what programs are assigned to the screen and also get real time screenshots of what is running on the display.



Compatible series: LH60, LH64, LH65B, LH75, LH81G, S25AS

iiShare

A POWERFUL WIRELESS SCREEN SHARING SOLUTION

Whether using Windows, Android, or iOS devices, iiShare enables seamless casting to iiyama IFP - INTERACTIVE DISPLAYS without cables or complex configurations. Ideal for classrooms, boardrooms, and hybrid teams, iiShare promotes dynamic collaboration through intuitive features like Gallery View and BYOM (Bring Your Own Meeting).



Step 1

Download the iiShare app on your personal device and make sure you are connected to the same network as your iiyama (interactive) large format display. Download the relevant app to your specific OS in the Download section below.



Step 2

Open the iiShare app on both devices and select the display name from the list on your personal device.



Step 3

Press connect, followed by shared screen and you are ready to showcase your work.



The Perks of iiShare

- » Share content from any device
- » Miracast/Airplay/Chromecast supported
- » Webcast (casting via a URL)
- » Supports the **WP-D003C USB-C** dongle
- » Gallery View is a feature which displays multiple shared screens or participants simultaneously for better visual collaboration
- » BYOM (Bring Your Own Meeting) allows users to run meetings from their own device using their preferred conferencing platform, connecting seamlessly to iiyama Interactive Flat Panel Displays (IFPDs).
- » Utilise TV Mirror function to stream the main display back to your device for localised viewing
- » Enjoy the Two-Way-Touch functionality, when sharing from a Windows device. Take control over your display with this annotation tool, including screenshot function.
- » Stream and view up to 4 devices at the same time.





FULL-FEATURED WIRELESS COLLABORATION APP

Enjoy ease of use with the pre-installed EShare application on a selection of iiyama (interactive) large format displays. With the EShare app you bring effortless ideation and efficient collaboration in your enterprise or school. You can start sharing wirelessly easier than ever before.



Step 1

Download the EShare app on your personal device and make sure you are connected to the same network as your iiyama (interactive) large format display.



Step 2

Open the EShare app on both devices and select the display name from the list on your personal device.



Step 3

Press connect, followed by shared screen and your ready to showcase your work.



The Perks of EShare

- » Share content from any device by selecting Share Screen on your devices.
- » Enjoy two way touch functionality*
- » Utilise TV Mirror function to stream the main display back to your device for localised viewing
- » Take control over your display with Two-way-touch, an annotation tool & a screenshot function
- » Stream and view up to 9 devices at the same time
- » Up to 50 users in one session: switch easily between devices
- » Works on all mainstream operating systems, like: Android, Chrome, iOS, macOS and Windows
- » AirPlay and Chromecast are supported natively

**When sharing from a Windows device.*





DIGITAL SIGNAGE SERIES

SPECIALISED COMMERCIAL SIGNAGE



Commercial & Retail Signage

LH41 SERIES

LH60 SERIES

LH65B SERIES

LH66 SERIES


LH75 SERIES



LANDSCAPE

PORTRAIT

**Check specification tables for feature compatibility*



Premium & Specialised Signage

LH52UW SERIES

LH64 SERIES

LH81G SERIES

S25AS SERIES



LANDSCAPE

PORTRAIT

**Check specification tables for feature compatibility*



Immersive Collaboration for Education & Enterprise

TN05 SERIES

TE13A SERIES



LANDSCAPE

**Check specification tables for feature compatibility*



Premium Meeting Room Solutions

TE15A SERIES

TE18UW SERIES



LANDSCAPE

**Check specification tables for feature compatibility*



DIGITAL SIGNAGE SERIES

SPECIALISED COMMERCIAL SIGNAGE



LH41 SIGNAGE SERIES

32" | 43" | 50" | 55" | 65"

- » 24/7 operating time
- » Media Player
- » LAN Control
- » Anti-Glare coating*

4K

24/7

HDMI

Remote

EMI Class B

VESA

Speaker

LANDSCAPE

PORTRAIT



*50" and 65" only. LE41 series Landscape orientation only.

DIGITAL SIGNAGE DISPLAYS



Professional Digital Signage

The **LH41** series is set in a slim bezel with 24/7 operating time in both portrait and landscape orientation. This 500cd/m² high brightness IPS panel with 4K resolution provides exceptional colour and image performance. Play your video and photo content with the built in Media Player and control the display's OSD menu via LAN control.

**Media
Player**

Media Player*

Play music, videos, and images directly on screen from a flash drive or internal memory with the built-in media player.



LAN Control

RJ45 LAN Control allows remote management of the display's OSD settings over your network



EMI Class B

Low electromagnetic interference, making the display safe for use in homes and commercial environments.



Ultra HD

4K UHD (3840x2160) delivers four times the workspace of Full HD with ultra-sharp, high-DPI image clarity.

**50" and 65" only. LE41 series Landscape orientation only.*



LH60 SIGNAGE SERIES

32" | 43" | 50" | 55" | 65"

- » Ultra Slim Design
- » Android 11 OS with Eshare and iiSignage²
- » Signal FailOver
- » 2x 10W Speakers
- » Anti-Glare Coated Glass



LANDSCAPE

PORTRAIT





Ultra Slim Digital Signage with Pro Control

Elevate your visual messaging with the **LH60** series - an energy-efficient 500cd/m² ELED VA display built for 24/7 performance. Powered by Android 11, it features iiSignage² for content control, with EShare for wireless content sharing and FailOver to ensure backup inputs take over if a signal fails. Its slim design and flexible orientation make it ideal for retail, corporate, hospitality, or education.



Android 11 OS

With Android OS, you can easily tailor the display to your needs by installing apps directly onto the screen.



Ultra Slim Design

With 50% less depth, the ultra-slim 40mm display installs discreetly and elegantly in any space.



Signal FailOver

FailOver auto-switches to the next input if the default fails, ensuring your content stays active at all times.



24/7 Operation

24/7 reliability ensures seamless, long-term operation, making it ideal for any professional or business environment.



DIGITAL SIGNAGE SERIES

SPECIALISED COMMERCIAL SIGNAGE



LH65B SIGNAGE SERIES

43" | 50" | 65" | 75" | 86"

- » Powerful Vivid-Bright IPS display
- » Android 11 OS with iiControl and iiSignage²
- » Signal FailOver
- » 2x 10W Speakers
- » HDMI and DisplayPort signal input



LANDSCAPE

PORTRAIT





Vivid 4K Brilliance for Impactful Display

Captivate your audience with dynamic content on the ultra-bright 800cd/m² **LH65B** series display, built for 24/7 operation in landscape or portrait mode. Powered by Android 11, it supports third-party apps and CMS platforms. iiSignage² enables secure remote content control, while FailOver and built-in WiFi ensure uninterrupted playback. iiShare and Eshare allow effortless wireless collaboration in business or education.



Android 11 OS

With Android OS, you can easily tailor the display to your needs by installing apps directly onto the screen.



Vivid-Bright Display

Designed for impact, the vivid-bright display captivates audiences with dynamic, eye-catching content.



Signal FailOver

FailOver auto-switches to the next input if the default fails, ensuring your content stays active at all times.




24/7 Operation

24/7 reliability ensures seamless, long-term operation, making it ideal for any professional or business environment.



DIGITAL SIGNAGE SERIES

SPECIALISED COMMERCIAL SIGNAGE



LH66 SIGNAGE SERIES

43" | 50" | 55" | 65" | 75"

- » Powerful Vivid-Bright VA display
- » Android 14 OS with iiControl and iiSignage²
- » Signal FailOver
- » 2x 10W Speakers
- » HDMI and USB-C signal input



LANDSCAPE

PORTRAIT





Bright Digital Signage Powerhouse

Deliver clear, high-impact 4K messaging with the **LH66** series. Its 800cd/m² brightness keeps content visible in demanding environments, while 24/7 reliability suits continuous use. Android 14 provides a flexible platform for apps and content tools, with iiSignage² and WiFi supporting remote updates. iiControl simplifies display management, and iiShare enables convenient wireless presenting across retail, hospitality, corporate and restaurant spaces.



Android 14 OS

With Android OS, you can easily tailor the display to your needs by installing apps directly onto the screen.



Vivid-Bright Display

Designed for impact, the vivid-bright display captivates audiences with dynamic, eye-catching content.



Signal FailOver

FailOver auto-switches to the next input if the default fails, ensuring your content stays active at all times.




24/7 Operation

24/7 reliability ensures seamless, long-term operation, making it ideal for any professional or business environment.



DIGITAL SIGNAGE SERIES

SPECIALISED COMMERCIAL SIGNAGE



LH75 SIGNAGE SERIES


32" | 43" | 55" | 65" | 75" | 86" | 98"

- » SDM Slot – Plug-in Smart Display Module
- » 98" OPS PC Slot – Security and flexibility of Windows IoT
- » Android 11 OS
- » 2x 10W Speakers
- » Video wall / daisy chain



LANDSCAPE

PORTRAIT





All-in-One Signage Solution

Choose non-stop high performance and reliability with the ideal all-in-one signage solution for mission critical environments. The **LH75** series can be operated in landscape or portrait orientation in continual around the clock environments, 24/7 without any interruption. Its versatility can be adapted to your industry's display needs. On-board Android 11 OS means you can easily customize the display and install applications directly to it.



Android 11 OS

With Android OS, you can easily tailor the display to your needs by installing apps directly onto the screen.



Video Wall

Easily create video walls with daisy chain support from any input, using MST output via DisplayPort-Out.



SDM Slot

Optional Smart Display Module offers powerful performance in a compact form, easily integrates with slim displays.



24/7 Operation

24/7 reliability ensures seamless, long-term operation, making it ideal for any professional or business environment.



DIGITAL SIGNAGE SERIES

SPECIALISED COMMERCIAL SIGNAGE



LH52UW SIGNAGE SERIES

92" | 105"

- » 21:9 Ultra-Wide Panoramic Display
- » 5K – 11 Mega Pixels
- » Android 13 OS
- » USB-C Connection Input (signal only)
- » OPS PC Slot for standalone solution



LANDSCAPE

PORTRAIT





5KUW For Specialised Panoramic Signage

Experience the ultra-wide 21:9 panoramic view with the impressive 105" **LH52UW** series display. Featuring a sleek thin bezel and stunning 5KUW resolution, it delivers vibrant, larger-than-life visuals. Perfect for control rooms or premium retail signage, it's built for 24/7 operation and supports both landscape and portrait modes for maximum impact in any setting.



USB-C Input

USB-C cable connection (DP 1.4 Alt Mode) supports signal-only output up to 5120x2160 @60Hz.



Android 13

With Android OS, you can easily tailor the display to your needs by installing apps directly onto the screen.



OPS PC Slot

Unlock enhanced security, flexibility, and performance with Windows IoT using the optional OPS Slot PC.



24/7 Operation

24/7 reliability ensures seamless, long-term operation, making it ideal for any professional or business environment.



DIGITAL SIGNAGE SERIES

SPECIALISED COMMERCIAL SIGNAGE



LH64 SIGNAGE SERIES


43" | 50" | 55" | 65" | 75" | 86"

- » Most Powerful Full Line-up
- » Android 14 OS with iiControl and iiSignage²
- » Signal FailOver
- » USB-C Connection for BYOD with 15W PD



LANDSCAPE

PORTRAIT





Most Powerful Professional Digital Signage

The **LH64** series 75" 4K UHD display boosts business communication with Android 14, iiSignage², iiControl, and iiShare. WiFi-enabled and built for 24/7 use, it's ideal for retail, corporate, hospitality, and dining spaces. USB-C with BYOD support allows easy content sharing and device charging, while its high brightness and versatile design ensure a standout viewing experience.



Android 14 OS

With Android OS, you can easily tailor the display to your needs by installing apps directly onto the screen.



Signal FailOver

FailOver auto-switches to the next input if the default fails, ensuring your content stays active at all times.



USB-C Connection

USB-C with 15W Power Delivery enables easy BYOD connectivity and device charging with a single cable.



24/7 Operation

24/7 reliability ensures seamless, long-term operation, making it ideal for any professional or business environment.



DIGITAL SIGNAGE SERIES

SPECIALISED COMMERCIAL SIGNAGE



LH81G SIGNAGE SERIES

55" | 65"

- » Slim, Removable frame
- » Android 14 OS with iiControl and iiSignage²
- » USB-C Connection with 15W PD



LANDSCAPE

PORTRAIT





Gallery Style Specialised Signage

The **LH81G** series 4K UHD displays blend performance with premium design. Ideal for stylish, artistic, and high-end spaces, it features a removable, customizable magnetic frame. Powered by Android 14 with iiSignage², iiControl, and iiShare, it offers easy content management, built-in WiFi, and 24/7 operation. Anti-glare, slim, and elegant—perfect form meets smart function.



Android 14 OS

With Android OS, you can easily tailor the display to your needs by installing apps directly onto the screen.



Removable Frame

Magnetic frame easily wraps in any design or removes for a frameless look – custom style, no tools, no hassle.



USB-C Connection

USB-C with DP Alt Mode and 15W Power Delivery supports video output and device charging via a single cable.



24/7 Operation

24/7 reliability ensures seamless, long-term operation, making it ideal for any professional or business environment.



S25AS SIGNAGE SERIES

21.5" | 23.8"

- » Bright Small Format Signage display
- » Android 14 OS with iiSignage^{2A}
- » Built-in speakers and microphone



LANDSCAPE

PORTRAIT



^{2A}iiSignage² license is free for at least 5 years with S25AS series.



Professional Grade Small Format Signage

The **S25AS** series delivers professional-grade small format signage for reliable content playback. Built on Android with integrated iiSignage² CMS, it suits supermarkets, retail stores and public spaces. A Full HD IPS panel with 500cd/m² brightness ensures clear visibility, while Power over Ethernet simplifies installation. Guaranteed platform compatibility for at least five years ensures long-term stability.



Android 14 OS

With Android OS, you can easily tailor the display to your needs by installing apps directly onto the screen.



PoE Connectivity

The RJ45 LAN connector with Power over Ethernet delivers data and power through one cable.




iiSignage²

iiSignage² CMS allows secure, remote control and scheduling of your messaging and visuals.



24/7 Operation

24/7 reliability ensures seamless, long-term operation, making it ideal for any professional or business environment.



iiSIGNAGEBOX-1

21.5" | 23.8"

- » Enable iSignage² on any compatible display
- » 1x USB 3.0 / 1x USB 2.0
- » 1x HDMI Out (CEC)
- » Built-in WiFi





Your Display, Now Signage Ready


The **iiSIGNAGEBOX-1** is a compact Android signage box that can be connected to any compatible large format display, enabling immediate use of the iiSignage2 software. With iiSignage2, content can be easily created, scheduled and managed remotely via a secure cloud-based platform, making it a convenient and efficient solution for professional signage environments.

Technical Specifications	
CPU	Octa-core RK3576 (4x A53 + 4x A72)
RAM	4GB
WiFi	IEEE802.11a/b/g/n
LAN (RJ45)	x10M100M
USB	x1 3.0 (DC5V, 500mA), x1 2.0
HDMI Out	1x (CEC)
Audio	1x Mini-jack
VESA Maximum	200 x 75mm
Power Supply	External
Power Usage	1.2W typical
Dimensions	216 x 105 x 21.8mm
Weight	0.66kg
EAN	4948570033492




DIGITAL SIGNAGE SERIES

SPECIALISED COMMERCIAL SIGNAGE



SERIES	LE/LH41	LH60	LH64	LH65B
Sizes	32", 43", 50", 55", 65"	32", 43", 50", 55", 65"	43", 50", 55", 65", 75", 86"	43", 50", 55", 65", 75", 86"
Full model name	LHxx41UHS-Bx	LHxx60UHS-BxAG	LHxx64UHS-BxAG	LHxx65UHSB-Bx
Main feature	Every Day Signage non-Android	Slim Design	Powerful Full line-up	Vivid Bright
Resolution	3840x2160 ^A	3840x2160 ^A	3840x2160	3840x2160
Type	DLED	ELED	DLED	DLED
Panel Haze	1%	25%	25%	1% ^C
Orientation	Landscape / Portrait ^B	Landscape / Portrait	Landscape / Portrait	Landscape / Portrait
Brightness	up to 500cd/m ²	500cd/m ²	500cd/m ²	800cd/m ²
Typical Depth	up to 55mm	39mm	70mm	56mm
Typical Bezel width	up to 14.9mm	13.3mm	14.5mm	14.9mm
Android version	-	11	14	11
SOC	MSD3683GTA	MT9630	MT9679E	A311D2
SOC CPU	-	Quad-core A53x4	Quad-core A73x4	Octo-core A53x4 + A73x4
System Performance	-	**	***	*****
RAM / ROM	-	2GB / 16GB	4GB / 32GB	4GB / 32GB
VGA	1	-	-	-
HDMI	3	3	2	2
DisplayPort	-	-	-	1
USB-C (DP Alt / Data)	-	-	1	-
DisplayPort out	-	-	-	-
USB Ports	1	2	2	2
PC Slot	-	-	-	-
LAN	Yes (control)	Yes	Yes	Yes
WIFI	-	Yes	Yes	Yes
RS232	Yes	RS232 over LAN	Yes	Yes
Software CMS / DMS	-	iiSignage ²	iiSignage ² / iiControl	iiSignage ² / iiControl
Wireless Presentation	-	Eshare	iiShare / Eshare	iiShare / Eshare

^A LE4341 & LH3241 1920x1080, ^B LH series only, ^C 50" 25% Haze, ^D 32" Excluding SDM



LH66	LH75	LH81G	LH52UW	S25AS
43", 50", 55", 65", 75"	32", 43", 50", 55", 65", 75", 86", 98"	55", 65"	92", 105"	21.5", 23.8"
LHxx66UHSB-Bx	LHxx75UHS-BxAG	LHxx81UHSg-xAG	LHxx52UWS-B1AG	Sxx25AS-BxP
Bright Powerhouse	Every day signage Full line-up	Gallery Style	5K Ultra-Wide	Pro Grade Small Format
3840x2160	3840X2160 ^B	3840x2160	5120x2160	1920x1080
DLED	DLED	ELED	DLED	ELED
25%	25%	25%	25%	25%
Landscape / Portrait	Landscape / Portrait	Landscape / Portrait	Landscape / Portrait	Landscape / Portrait
800cd/m ²	500cd/m ²	500cd/m ²	500cd/m ²	500cd/m ²
69mm	55mm	39mm	77mm	28mm
12.8mm	14.9mm	14.4mm	14.9mm	-
14	11	14	13	-
MT9679E	A311D2	MT9679E	RK3588	RK3576
Quad-core A73x4	Octo-core A53x4 + A73x4	Quad-core A73x4	Octo-core A76x4 + A55x4	Octo-Core A53x4 + A72x4
*****	*****	***	****	-
4GB / 32GB	4GB / 32GB	4GB / 32GB	8GB / 128GB	4GB / 32GB
-	-	-	-	-
2	3	2	1	-
-	1	-	1	-
1	-	1	1	-
-	Yes (MST)	Yes (USB-C) + HDMI	Yes (HDMI)	-
2	2	2	3	2
-	SDM ^D	-	OPS	-
Yes	Yes	Yes	Yes (control)	Yes (PoE)
Yes	Yes	Yes	Yes	Yes
Yes	Yes	Yes	Yes	RS232 over LAN
iiSignage ² / iiControl	iiSignage ² / iiControl	iiSignage ² / iiControl	iiyama DMS	iiSignage ²
iiShare / Eshare	iiShare / Eshare	iiShare / Eshare	iiyama Share	-

^A LE4341 & LH3241 1920x1080, ^B LH series only, ^C 50" 25% Haze, ^D 32" Excluding SDM



TE INTERACTIVE SERIES

INTERACTIVE IMMERSIVE COLLABORATION



TN05 INTERACTIVE SERIES

65" | 75" | 86"


- » OS-Free
- » Maximum Security and IT Control
- » USB-C Connections with up to 65W PD
- » 2x 20W Speakers and 20W Subwoofer
- » Standalone Solution & Connectivity



LANDSCAPE



IFP – INTERACTIVE DISPLAYS



Interactive Display for Maximum Security and Full IT Control

The **TN05** series is a large-format professional touch display without an operating system, designed for secure environments where reliability and control are essential. Simply connect your source and start working. The responsive multi-touch panel, 4K UHD resolution and high brightness support collaboration, presentations and interactive use, with built-in annotation for real-time on-screen notes and clear communication.



OS-Free

With no operating system to manage or update, the display offers a stable, secure solution.



DeepContrast-IR+

State-of-the-art touch technology allows 40 touch points with palm rejection and anti-glare coating.



USB-C

USB-C provides seamless connectivity, enabling quick data transfer, video and touch, with up to 65W PD.



OPS PC Slot

Offering a convenient standalone solution, allowing easy integration without the need for additional devices.



TE INTERACTIVE SERIES

INTERACTIVE IMMERSIVE COLLABORATION



TE13A INTERACTIVE SERIES

55" | 65" | 75" | 86" | 98"

- » Android 14 OS with Google EDLA and iiControl
- » Front facing 2x 20W Speakers and 20W Subwoofer
- » USB-C Connections with up to 100W PD
- » Easy access shortcut buttons on the front
- » PIR Motion Sensor for energy efficiency



LANDSCAPE

IFP – INTERACTIVE DISPLAYS



Seamless collaboration in Education and Enterprise

The **TE13A** Series is a cutting-edge 4K UHD Google EDLA Certified interactive display that redefines performance and precision. Featuring a Zero Air Gap LCD screen to eliminate parallax and PureTouch-IR+ with Palm Rejection, it ensures smooth, accurate interaction. Powered by iiWare 21E with Android 14-EDLA, WiFi-6 with Bluetooth 5.0 connectivity, and iiControl (DMS), it integrates seamlessly into your ecosystem.



Android 14 OS

iiWare 21E features apps facilitating easy collaboration and connection including Google Mobile Services (EDLA certified).



PureTouch-IR+

State-of-the-art touch technology allows 40 touch points with palm rejection and anti-glare coating.



USB-C

USB-C provides seamless connectivity, enabling quick data transfer, video and touch, with up to 100W PD.



OPS PC Slot

Offering a convenient standalone solution, allowing easy integration without the need for additional devices.



TE15A INTERACTIVE SERIES

65" | 75" | 86"

- » Android 14 OS with Google EDLA and iiControl
- » 2x 20W Speakers and 20W Subwoofer
- » 8-Array Microphone with up to 8m voice pick-up
- » Premium fabric front panel design
- » Optical Bonding eliminates parallax effect



GOOGLE
EDLA
CERTIFIED



LANDSCAPE



Where design meets performance

The **TE15A** series blends modern design with advanced interactive features for today's collaborative spaces. With a button-free front panel, PIR sensor, fabric speaker bezel, and Optical Bonding with DeepContrast-IR+ and Palm Rejection, it delivers a smooth, natural writing experience. Powered by iiWare 21E with Android 14, it includes WiFi 6, integrated speakers and microphone, iiShare, and iiControl DMS for connected, creative teamwork.



Android 14 OS

iiWare 21E features apps facilitating easy collaboration and connection including Google Mobile Services (EDLA certified).



DeepContrast-IR+

State-of-the-art touch technology allows 40 touch points with palm rejection and anti-glare coating.



USB-C

USB-C provides seamless connectivity, enabling quick data transfer, video and touch, with up to 100W PD.



OPS PC Slot

Offering a convenient standalone solution, allowing easy integration without the need for additional devices.



TE180UW INTERACTIVE SERIES

92" | 105"

- » 5K Panoramic 21:9 Ultra-Wide Screen
- » Speakers 2x 18W Facing up and 2x 8W Front Facing
- » 8-Array Microphone with up to 8m voice pick-up
- » USB-C Connections with up to 100W PD
- » Microsoft Teams Front Row



21:9
Ultra
Wide

iiyama
DMS

iiyama
Share



LANDSCAPE

*105" provides PureTouch-IR+ with 40pt Touch

IFP - INTERACTIVE DISPLAYS



A wider canvas for next-level interaction

The **TE18UW** series features a 21:9 Ultra-Wide 5K interactive touchscreen, designed to enhance visibility and collaboration in modern meeting rooms. Its panoramic canvas is perfect for side-by-side content, Front Row in Microsoft Teams, and hybrid teamworking. With PureTouch-IR+, Palm Rejection, Android 13, WiFi 6, EShare, speakers and microphone, it's a powerful hub for connected communication.



Android 13 OS

iiWare 11 is an intuitive and user-friendly software that integrates with the Google ecosystem (Google EDLA).



PureTouch-IR+

State-of-the-art touch technology allows 50 touch points with palm rejection and anti-glare coating.



USB-C

USB-C provides seamless connectivity, enabling quick data transfer, video and touch, with up to 100W PD.



OPS PC Slot

Offering a convenient standalone solution, allowing easy integration without the need for additional devices.

**105" provides PureTouch-IR+ with 40pt Touch*



SERIES	TN05A	TEI3A
Sizes	65", 75", 86"	55", 65", 75", 86"
Full model name	TNxx05A-BxAG	TExx13A-BxAG
Main feature	OS-FREE	ALL-ROUND FULL LINE-UP
Android feature / version	-	Google EDLA / 14
Front bezel	Clean front, only Power	Video signal / USB / Buttons
Resolution	3840x2160	3840x2160
Panel type	IPS	IPS
Glass coating	Anti-Glare, Anti-Bacterial	Anti-Glare, Anti-Bacterial
Glass to panel	Zero Air Gap	Zero Air Gap
Touch technology (point / writing)	DeepContrast-IR+ (40pt)	PureTouch-IR+ (40pt / 10wr)
Brightness (92% TM)	500cd/m ²	500cd/m ²
SOC	-	MT9679
SOC CPU	-	Quad-core A73x4
System Performance	-	***
RAM / ROM	-	8 / 128
HDMI / DisplayPort	2 / 1	2 / 1
USB-C (DP Alt / Data)	1x 65W PD	1x 65W, 1x 100W PD
Video Output	-	HDMI
Audio Output	Mini-Jack	S/PDIF, Mini-Jack
Speakers	2x 20W + 20W Subwoofer	2x 20W + 20W Subwoofer
Microphone	-	-
USB Ports	3	4
PC Slot	OPS	OPS
LAN / WIFI / BT	-	2x / Dual WIFI 6 / BT5
RS232 (control) / Remote	Yes / -	Yes / Yes
Apps (selection)	-	Google Eco System / Browser / Player / Cloud
Software CMS / DMS	-	iiControl
Wireless Presentation	-	iiShare / Eshare
Sensors	-	Stylus / PIR ^A / Luminance ^B

^AEnergy efficient motion sensor, ^BAmbient light sensor



TE15A	TE18UW
65", 75", 86"	92", 105"
TExx15A-BxAG	TExx18UWI-BxAG
PREMIUM DESIGN	PANORAMIC VIEW
Google EDLA / 14	non-EDLA / 13
Clean front, only Power button	Video signal / USB
3840x2160	5120x2160
IPS	VA
Anti-Glare, Anti-Bacterial	Anti-Glare
Optical Bonding	Zero Air Gap
DeepContrast-IR+ (40pt / 32wr)	92" PureTouch-IR+ (50pt / 32wr) 105" PureTouch-IR+ (40pt / 32wr)
550cd/m ²	92" 500cd/m ² 105" 450cd/m ²
RK3576	RK3588
Octo-core A53x4 + A72x4	Octo-core A55x4 + A76x4
****	*****
16 / 128	8 / 64
2 / 1	4 / 1
1x 100W PD	1x 15W, 1x 100W PD
HDMI / USB-C	HDMI / USB-C
S/PDIF, Mini-Jack	S/PDIF, Mini-Jack
2x 20W + 20W Subwoofer	2x 16W + 16W Subwoofer
8-Array	8-Array
4	8
OPS	OPS
2x / Dual WIFI 6 / BT5	2x / Dual WIFI 6 / BT5
Yes / Yes	Yes / Yes
Google Eco System / Browser / Player / Cloud	Note / Browser / Player WPS Office / Cloud
iiControl	iiyama DMS
iiShare / Eshare	iiyama Share / Eshare
Stylus / PIR ^A / Luminance ^B	Luminance ^B

^AEnergy efficient motion sensor, ^BAmbient light sensor




When we say iiyama, we're proud because iiyama ultimately means over 25 million of different stories. Your stories of connecting with the world.

Based in Japan, iiyama is a leading international display solutions manufacturer enabling individuals and organizations to interact with the world around them since 1973. iiyama desktop monitors accompany people at work and at home. iiyama Large Format Displays and touchscreen solutions help businesses get their message across to their partners and clients. And the iiyama G-Master #monitors4gamers aid gamers to unlock their full gaming potential.

iiyama International

Wijkermeestraat 8
2131 HA Hoofddorp
The Netherlands

info@iiyama.com
www.iiyama.com



Find your
iiyama display

iiyama
Professional Displays